



**LRAPA BOARD OF DIRECTORS  
AGENDA ITEM SUMMARY**

**Director's Report for June 2020**

**Meeting Date: July 9, 2020**  
**Department: Director's Office**  
**www.lrapa.org**

**Agenda Item No. 6**  
**Staff Contact: Merlyn Hough**  
**Contact Telephone: 541-736-1056 x 216**

**AIR QUALITY: 06/01/2020 to 06/30/2020**

**March**

Site	Date	Max AQI	Pollutant
Eug/Spfld	19-June-20	43	O3
Oak	19-June-20	23	PM
CottGrv	26-June-20	42	O3

AQI	Eug/Spfld	Oak	CottGrv	Range
Good	30	30	30	0-50
Moderate	0	0	0	51-100
USG	0	0	0	101-150
Unhealthy	0	0	0	151-200
Very Unhealthy	0	0	0	201-300

***Attachment No. 1: Air quality index charts for Eugene/Springfield (June 2020)***

***Attachment No. 2: Air quality index charts for Oakridge (June 2020)***

***Attachment No. 3: Air quality index charts for Cottage Grove (June 2020)***

**COMPLAINTS: 06/01/2020 to 06/30/2020 [TOTAL: 59]**

1. **Smoke – 46** total smoke complaints: 39 for outdoor burning and 7 for home-wood heating.
2. **Industry – 4** total complaints: 1 for JH Baxter; 1 for Lane county Short Mountain Landfill; 1 for Prism Paint and 1 for Emerald Forest Products.
3. **Miscellaneous/Unknown/Dust – 9** total miscellaneous complaints: 1 for asbestos; 1 for Hop Valley Brewery; 1 for diesel bus idling and 6 for unknown odors.

For perspective, here is how the total number of complaints received for calendar year 2020 compares to previous years:

Year	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	*2020
Fugitive Dust	34	33	44	30	14	25	32	25	26	15	1
Ag/Field Burning	9	13	1	17	4	12	9	1	0	6	2
General Air Quality	2	6	6	26	30	15	20	14	6	12	4
Home Wood Heating	62	135	95	219	121	342	130	197	126	128	43
Industry	265	169	128	122	127	52	58	74	50	170	47
Outdoor Burning	268	341	268	321	279	251	266	281	351	402	255
Slash Burning	5	16	7	5	7	11	26	13	24	16	1
Miscellaneous	77	101	79	52	57	85	164	138	66	67	22
Unknown	12	25	17	14	35	46	56	63	29	39	52
<b>Total</b>	<b>734</b>	<b>839</b>	<b>645</b>	<b>806</b>	<b>674</b>	<b>839</b>	<b>761</b>	<b>806</b>	<b>678</b>	<b>855</b>	<b>427</b>

\* Year-to-date.

**ENFORCEMENT: 06/01/2020 to 06/30/2020**

Category of Violation	New	Follow-Up Action	Pending	Closed	Total
Asbestos	-	-	-	1	<b>1</b>
Industrial	-	3	6	3	<b>12</b>
Outdoor Burning	-	-	8	-	<b>8</b>
Fugitive Dust	-	-	-	-	-
Home Wood Heating	-	-	-	-	-
<b>Totals</b>	<b>0</b>	<b>3</b>	<b>14</b>	<b>4</b>	<b>21</b>

**Attachment No. 4: Enforcement activities during these reporting periods for case details.**

**For perspective, here is how the total number of enforcement actions for calendar year 2020 compares to previous years:**

Year	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	*2020
Notices of Non-compliance and Warnings	57	64	41	51	36	38	41	39	47	55	10
Notices of Violation with Civil Penalties	39	42	29	23	28	37	37	28	43	37	21

**\* Year-to-date.**

**OUTDOOR BURNING LETTER PERMITS: 06/01/2020 to 06/30/2020** There were no Outdoor Burning Letter Permits (OBLP) issued in June.

**ASBESTOS ABATEMENT: 06/01/2020 to 06/30/2020**

During June, LRAPA received 41 notices of asbestos removal projects, three of which were schools (Shasta Middle School, Oakridge School and O'Hara School – 2 projects).

**For perspective, here is how the total number of asbestos abatement notices filed, how many were schools and the number of notices inspected for calendar year 2020 compares to previous years:**

Year	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	*2020
Total Asbestos Abatement Notices	370	357	324	351	352	426	444	543	428	488	216
School Asbestos Abatement Notices (NESHAP)	70	61	53	24	21	24	27	28	24	16	11
Number of Asbestos Abatements Inspected	107	106	90	96	67	89	82	120	77	94	47

**\* Year-to-date.**

**PERMITTING (TITLE V AND ACDP): 06/01/2020 to 06/30/2020**

LRAPA currently permits 16 Title V sources and approximately 300 Air Contaminant Discharge Permits (ACDPs). Below are the total numbers of permit activities that are new, renewals, modifications, construction approvals, registration application's, terminated and/or issued permits the operations staff currently have in process.

Category of Permit	Title V	ACDP	Registration	Total Active
New	-	2	-	2
Renewals	8	15	-	23
Modifications	2	10	-	12
Constructions	-	-	-	-
Registrations	-	-	-	-
Terminated Permits	-	3	-	3
Issued Permits	12	27	-	39
*Total	22	57	-	79

\* Year-to-date.

**UPDATE ON SOME NATIONAL ISSUES OF LRAPA INTEREST**

The National Association of Clean Air Agencies (NACAA, the organization of state and local air directors) publishes an information packed Washington Update every Friday. Here are the weekly highlights from recent weeks, from most recent to oldest.

**Week of June 20-26, 2020**

See: <http://4cleanair.org/sites/default/files/Documents/062620wklyupdate.pdf>

- States, Organizations and Industry Sue EPA over Rule Rescinding MATS “Appropriate and Necessary” Finding
- EPA Finalizes RTR for Air Toxics from Iron and Steel Foundries
- EPA Memorandum Addresses Use of Air Sensor Data for NAAQS Compliance and Sensor Research Priorities
- California to Consider Approving Proposed On-Road Heavy-Duty Engine and Vehicle Omnibus Rule; Adopts First-Ever Requirement for Zero-Emission Trucks
- Emission Control Manufacturers Quantify Potential Benefits of National Cleaner Trucks Initiative
- Hearth, Patio & Barbeque Association Files Opening Brief in Suit Challenging 2015 Residential Wood Heater NSPS
- Minnesota, D.C. Climate Suits Allege Harms to Consumers
- House Advances Sweeping Clean Energy Tax Proposal
- Governor Steve Sisolak Announces “Clean Cars Nevada”

**Week of June 13-19, 2020**

See: <http://4cleanair.org/sites/default/files/Documents/061920wklyupdate.pdf>

- EPA Files Legal Defense of ACE Rule

- EPA Grants Petition to List n-Propyl Bromide under Section 112 – First Addition to the HAP List
- EPA Announces Two Final Risk and Technology Review Standards
- California AG Gives RWH Retailers Selling Step 1 Units One Week to Confirm They Will Cease and Desist
- EPA Inspector General Report Challenges COVID-19 Enforcement Discretion
- Study Finds that Half the World's Population Exposed to Increased Levels of PM2.5

### **Week of June 6-12, 2020**

See: <http://4cleanair.org/sites/default/files/Documents/061220wklyupdate.pdf>

- EPA Releases Annual Air Quality Trends Report
- EPA Cost-Benefit Proposal Published in Federal Register; Comments Due July 27
- Report: 90 Percent Clean Power by 2035 Would Boost Economy Above Business as Usual
- EPA Proposes to Collect Information on Ethylene Oxide Commercial Sterilization Facilities
- EPA Seeks Comment on Proposed Renewable Fuels Anti-Backsliding Determination
- EPA Issues Final Risk and Technology Review Standards for Multiple Source Categories

### **Week of May 30 – June 5, 2020**

See: <http://4cleanair.org/sites/default/files/Documents/060520wklyupdate.pdf>

- Cost-Benefit Analysis Proposal Released by EPA
- President Signs Executive Order to Expedite Environmental Review of Infrastructure Projects
- EPA Issues Final Rule on Miscellaneous Organic NESHAP RTR
- EPA Staff Releases Final Ozone Policy Assessment
- EPA Proposes Renewable Fuels Anti-Backsliding Determination
- EPA Publishes RTR for Engine Test Cells/Stands
- Senate Republicans Ask OMB to Make Pandemic Regulatory Relaxation Permanent
- House Transportation Funding Bill Would Fund Infrastructure to Reduce Climate Damage
- EPA Defends COVID-19 Enforcement Discretion, Seeks Dismissal of Suit
- COVID-19 Constrains California/Quebec CO<sub>2</sub> Trading
- Petitioner TTMA Submits Reply Brief in Case Challenging EPA's and NHTSA's Regulatory Requirements for Heavy-Duty Truck Trailers

## **PUBLIC INFORMATION – Travis Knudsen**

### **On-Going**

June began with LRAPA's purple air community meeting held on June 4<sup>th</sup> at 6:30pm. The meeting was hosted on zoom and streamed live to LRAPA's Facebook page. 335 views were received on the platform, with 5 active participants on the zoom call. A goal of the meeting was to find residents in the Bethel neighborhood willing to host a Purple Air Sensor. We received 7 inquires of interest.

LRAPA sent a report of the meeting to the ECRCO office with training materials LRAPA plans to use and is awaiting feedback.

The purple air network continues to grow. As a result of our Purple Air meeting we are placing 4 sensors in the Bethel neighborhood. 3 of the 4 were recently installed, the final sensor will be at the EWEB facilities off of Roosevelt. Board Member Jeannine Parisi is working aiding in this process. 12 sensors have been delivered to Oakridge to improve our network there. These sensors are being brought online with about half already operating. The rest should be operating over the next week or two.

LRAPA published a letter to the editor in the Cottage Grove Sentinel, commending Cottage Grove’s tree pickup program. The program provided a resource to city residents to dispose of yard debris without burning it.

Outdoor Burning Season ended June 15<sup>th</sup>. A press release was sent to stakeholders and LRAPA has scheduled a July interview with KXCR in Florence to talk about LRAPA and our role in the community.

#SmokeReady2020 took place the third week of June. LRAPA made social media posts about wildfire smoke impacts on the community as we get closer to fire season. Informational posters shared health information of who is most at risk from smoke, ways people may protect themselves and their family during smoke. The social media campaign was in coordination with other northwest Air Agencies. LRAPA reached 1,088 people on Facebook with 56 engagements.

LRAPA’s PM10 Grant memo is nearly completed and ready to send to Oregon Department of Environmental Quality (ODEQ). Once June financials and invoices are compiled, the memo will be delivered to the ODEQ.

Good progress has been made on LRAPA’s 2019 annual report with the goal to publish late July.

**Asbestos**

Mail outs of asbestos informational packages to Lane County residents who received building permits for remodeling projects and new homeowners. Residents are directed to contact LRAPA with any questions. Residents of the cities of Eugene, Springfield and Coburg now receive information with their permits. LRAPA will keep the local planning departments and contractors, upon request, stocked with the fliers so that they can help get the word out to residents who might encounter asbestos-containing materials while remodeling their homes.

**Media Contacts**

6/4	Letter to the Editor: Cottage Grove Tree Limb Program
-----	---

**Meetings/Events**

6/1	Quarterly Conformity Conference Call
6/1	Oakridge Air – LRAPA/GC Check in Call
6/2	Springfield Government Issues Committee Meeting
6/2	Pilot Project – EPA/USFS Purple Air Data on AirNow Webinar
6/3	Preparatory Meeting with Ben Clark for Purple Air Meeting
6/3	R10 EPA Exceptional Event 8th Annual Teleconference

6/3	Oakridge Air: Smoke, Health and Safety Workgroup
6/4	Oakridge Air Program: Quarterly Meeting
6/4	Purple Air Community Meeting
6/8	EPA/LRAPA/ODEQ Check-in
6/8	ODOT's new Climate Office webinar
6/9	Springfield Government Issues Committee Meeting
6/9	Wildfire Smoke Challenge: Creating Clean Air Spaces
6/9	LRAPA Director Search, Zoom Interviews
6/11	Board meeting
6/15	Oakridge Air – LRAPA/GC Check in Call
6/16	OR Wildfire Smoke Response PRE-SEASON call
6/16	MARAMA Webinar – Introduction to Air Quality Management
6/16	Oakridge Air Video Recording for LRAPA
6/17	Oakridge Air: Smoke, Health and Safety Workgroup
6/18	Springfield City Club – Meeting Nancy Newton
6/19	EV Week Webinar – Organizing a 2020 EV Event
6/22	NWAQC – Smoke Ready Week recap
6/23	MARAMA Webinar – The Foundations for Air Pollution Control
6/24	Oakridge Air Communications Workgroup
6/29	Oakridge Air – LRAPA/GC Check in Call
6/29	Oakridge Air – Panel Review RUC
6/30	Springfield Government Issues Committee Meeting
6/30	LRAPA Citizens Advisory Committee - June Meeting

**Press Releases**

6/12	Monday June 15th is the last day until October for outdoor burning
------	--

**General Programs and Projects**

- Purple Air Community Meeting (TK) *Completed*
- ECRO Review of Staff Training Doc by EPA (TK, KE) *In progress*
- TAG Grant Progress (MH, NM, LG, TK) *In progress*
- PM10 Grant Memo for ODEQ (TK) *In progress*
- 2019 Annual Report (TK) *In progress*

**UPCOMING LRAPA BOARD AGENDA ITEMS**

This schedule outline is a preview of upcoming agenda items, and we will update it as the time frames for additional issues become firmer.

June 2020:

- ~~Succession planning update.~~
- ~~Dashboard update.~~
- ~~Budget updates.~~

July 2020:

- Status report on Oakridge Woodsmoke Mitigation Project.
- Succession planning update.
- Budget updates.
- Potential alternative allocations of civil penalties.

August 2020: No meeting.

September 2020:

- Succession planning update.
- Budget updates.

October 2020:

- Status report on Oakridge Woodsmoke Mitigation Project.
- Succession planning update.
- Dashboard update.
- Budget updates.

November 2020:

- Succession planning update.
- Budget updates.

December 2020: No meeting.

January 2021:


- Review multi-year budget forecast.
- Preview upcoming appointments on board and committees.
- Status report on Oakridge Woodsmoke Mitigation Project.
- Budget updates.


MLH/cmw



### Air Quality Index Chart - Eugene/Springfield


This 15-month chart demonstrates the seasonality of the pollutants.





### Air Quality Index Chart - Cottage Grove

This 15-month chart demonstrates the seasonality of the pollutants.



## **NEW/OPEN ENFORCEMENT ACTIONS STATUS REPORT**

**06/01/2020 -- 06/30/2020**

**Report of open and actions initiated since last report**

### **ACTIONS PERFORMED (NON issued prior to 06/01/2020 with current action in reporting period):**

1. ELITE PETROLEUM MOBIL (SPRINGFIELD)
  - A. Violation: The permit holder failed to submit performance test records to LRAPA to demonstrate compliance with triennial vapor balance system requirements outlined in Permit Condition 5.0. Permit Condition 7.2 requires submittal of performance test reports to LRAPA within 30 days of test completion.
  - B. Initial Action Taken: NON #3766 issued 05/02/2019
  - C. Subsequent Action: NCP #2019-3766 (\$2,382) issued 02/06/2020: request for reduction approved to \$670 with signed SFO 6/24/2020
  - D. Resolution: PENDING
2. SAI GOLDEN FOOD & GAS LLC (EUGENE)
  - A. Violation: The permit holder failed to submit performance test records to LRAPA to demonstrate compliance with triennial vapor balance system requirements outlined in Permit Condition 5.0. Permit Condition 7.2 requires submittal of performance test reports to LRAPA within 30 days of test completion.
  - B. Initial Action Taken: NON #3768 issued 05/02/2019
  - C. Subsequent Action: NCP #2019-3768 (\$2,382) issued 02/06/2020: submitted one test required, request for reduction approved for the economic benefit amount of the cost of the test \$670 and signed SFO 6/22/2020
  - D. Resolution: PENDING
3. THABET DBA BARGER ARCO AMPM (EUGENE)
  - A. Violation: The permit holder failed to submit performance test records to LRAPA to demonstrate compliance with triennial vapor balance system

requirements outlined in Permit Condition 5.0. Permit Condition 7.2 requires submittal of performance test reports to LRAPA within 30 days of test completion.

- B. Initial Action Taken: NON #3772 issued 05/02/2019
- C. Subsequent Action: NCP #2019-3772 (\$2,382) issued 02/06/2020: request for reduction approved for economic benefit amount of \$670 with signed SFO 06/22/2020
- D. Resolution: PENDING

4. WOODBURY ENERGY CO (WECO EUGENE) (EUGENE)

- A. Violation: The permit holder failed to submit performance test records to LRAPA to demonstrate compliance with triennial vapor balance system requirements outlined in Permit Condition 5.0. Permit Condition 7.2 requires submittal of performance test reports to LRAPA within 30 days of test completion.
- B. Initial Action Taken: NON #3778 issued 05/02/2019
- C. Subsequent Action: NCP #2019-3778 (\$2,382) issued 02/06/2020; LRAPA communicated the once in always 100,000 gallon throughput testing requirement; Respondent conducted required test; on schedule to conduct both tests in August of 2021; civil penalty reduced to \$-0-; WECO withdrew request for hearing
- D. Resolution: CASE CLOSED on 06/24/2020

5. J.H. BAXTER (EUGENE)

- A. Violation: Respondent operated retort 81 as a process water evaporation unit without first notifying LRAPA and obtaining approval and that evaporate emissions were vented to ambient; operated retort 81 and bypassed emissions control unit; opened retort 83 containing creosote solution prior to fully evacuating the retort of the creosote solution and failed to notify LRAPA of the process upset; upset condition on October 5, 2019 on newly permitted Thermal Evaporator and failed to notify LRAPA of the upset condition.
- B. Initial Action Taken: NON #3804 issued 10/29/2019

- C. Subsequent Action: NCP #2019-3804 (\$8,000) issued 01/14/2020: request for reduction under review; meeting with JHB on March 5, 2020; JHB to submit actions supporting request for reduction approved and reduced to \$4,000 with signed SFO mailed 5/29/20 - paid
  - D. Resolution: CASE CLOSED on 06/16/2020
6. J.H. BAXTER (EUGENE)
- A. Violation: Failure to conduct monthly monitoring of VPC-6 carbon efficiency/48 hour notification to LRAPA of conducting the monitoring - Permit Condition 16.a; Failure to evaluate the capture effectiveness of the ventilation hoods above work tanks/72 hour notice to LRAPA of conducting the monitoring permit condition 16.d.
  - B. Initial Action Taken: NON #3810 issued 02/03/2020; LRAPA conducting an inspection 7/2/2020
  - C. Subsequent Action: PENDING
  - D. Resolution: PENDING
7. ATEZ (EUGENE)
- A. Violation: Failure to install a viewing window on friable asbestos abatement negative pressure enclosure; providing for or allowing an uncertified worker to engage in an asbestos abatement project.
  - B. Initial Action Taken: NON #3812 issued 01/28/2020
  - C. Subsequent Action: NCP #2020-3812 (\$2,200) issued 02/26/2020: Originally assessed civil penalty amount of \$4,400 but was revised to \$2,200 - paid
  - D. Resolution: CASE CLOSED on 06/16/2020

**PENDING (NON issued prior to 06/01/2020 with no action in reporting period):**

1. APRO, LLC DBA UNITED PACIFIC (SPRINGFIELD)
- A. Violation: The permit holder failed to submit performance test records to LRAPA to demonstrate compliance with triennial vapor balance system requirements outlined in Permit Condition 5.0. Permit Condition 7.2 requires

submittal of performance test reports to LRAPA within 30 days of test completion.

- B. Initial Action Taken: NON #3761 issued 05/02/2019
  - C. Subsequent Action: NCP #2019-3761 (\$2,382) issued 02/06/2020: Submitted TP 201.3 done on 2/4/20 and PV Vent Valve Data Sheet on 2/7/2020 under review
  - D. Resolution: PENDING
2. APRO, LLC DBA UNITED PACIFIC (SPRINGFIELD)
- A. Violation: The permit holder failed to submit performance test records to LRAPA to demonstrate compliance with triennial vapor balance system requirements outlined in Permit Condition 5.0. Permit Condition 7.2 requires submittal of performance test reports to LRAPA within 30 days of test completion.
  - B. Initial Action Taken: NON #3762 issued 05/02/2019
  - C. Subsequent Action: NCP #2019-3762 (\$2,382) issued 02/06/2020: Submitted TP 201.3 done on 2/4/20 and PV Vent Valve Data Sheet on 2/7/2020 under review
  - D. Resolution: PENDING
3. APRO, LLC DBA UNITED PACIFIC (EUGENE)
- A. Violation: The permit holder failed to submit performance test records to LRAPA to demonstrate compliance with triennial vapor balance system requirements outlined in Permit Condition 5.0. Permit Condition 7.2 requires submittal of performance test reports to LRAPA within 30 days of test completion.
  - B. Initial Action Taken: NON #3763 issued 05/02/2019
  - C. Subsequent Action: NCP #2019-3763 (\$2,382) issued 02/06/2020: submitted test notification 2/7/20 scheduled for 02/13/2020 under review
  - D. Resolution: PENDING

4. BRB ENTERPRISES INC. (EUGENE)
  - A. Violation: The permit holder failed to submit performance test records to LRAPA to demonstrate compliance with triennial vapor balance system requirements outlined in Permit Condition 5.0. Permit Condition 7.2 requires submittal of performance test reports to LRAPA within 30 days of test completion.
  - B. Initial Action Taken: NON #3765 issued 05/02/2019
  - C. Subsequent Action: NCP #2019-3765 (\$2,382) issued 02/06/2020: Received Vapor Testing Report 2/7/2020 under review
  - D. Resolution: PENDING
5. RON'S OIL CO. (SPRINGFIELD)
  - A. Violation: The permit holder failed to submit performance test records to LRAPA to demonstrate compliance with triennial vapor balance system requirements outlined in Permit Condition 5.0. Permit Condition 7.2 requires submittal of performance test reports to LRAPA within 30 days of test completion.
  - B. Initial Action Taken: NON #3767 issued 05/02/2019
  - C. Subsequent Action: NCP #2019-3767 (\$2,382) issued 02/06/2020: Submitted 2018 test on 2/7/2020 under review
  - D. Resolution: PENDING
6. SPACE AGE FUEL, INC. #19 EUGENE (EUGENE)
  - A. Violation: The permit holder failed to submit performance test records to LRAPA to demonstrate compliance with triennial vapor balance system requirements outlined in Permit Condition 5.0. Permit Condition 7.2 requires submittal of performance test reports to LRAPA within 30 days of test completion.
  - B. Initial Action Taken: NON #3769 issued 05/02/2019
  - C. Subsequent Action: NCP #2019-3769 (\$2,382) issued 02/06/2020



- D. Resolution: PENDING
7. VARGUS, RIGOBERTO (JUNCTION CITY)
- A. Violation: Outdoor burning when prohibited; outdoor burning such as to create a hazard to the public; outdoor burning of prohibited materials; outdoor burning of construction/demolition/commercial waste without first obtaining a letter permit from LRAPA
  - B. Initial Action Taken: NON #3805 issued 12/04/2019
  - C. Subsequent Action: NCP #2019-3805 (\$1075) issued 12/27/2019: request for reduction approved and reduced to \$500 with signed SFO and payment schedule; on schedule with payments
  - D. Resolution: PENDING
8. WOLF, STEVEN A (EUGENE)
- A. Violation: Outdoor burning when prohibited; outdoor burning of prohibited materials; outdoor burning within Eugene city limits
  - B. Initial Action Taken: NON #3807 issued 01/13/2019
  - C. Subsequent Action: NCP #2020-3807 (\$350) issued 01/30/2020; no response, Default Order Judgment (DOJ) for a lien on the property in process
  - D. Resolution: PENDING
9. HARRIS, RYON (EUGENE)
- A. Violation: Failure to promptly extinguish illegal outdoor burning; outdoor burning when prohibited; outdoor burning of prohibited materials; outdoor burning where prohibited; outdoor burning of construction/demolition waste where prohibited
  - B. Initial Action Taken: NON #3808 issued 02/01/2020
  - C. Subsequent Action: NCP #2020-3808 (\$600) issued 02/14/2020; no response, Default Order Judgment (DOJ) for a lien on the property in process
  - D. Resolution: PENDING

10. WOOD, JOSHUA T. (COTTAGE GROVE)
  - A. Violation: Outdoor burning when prohibited; outdoor burning of prohibited materials; outdoor burning such as to create a nuisance or hazard to public safety; outdoor burning adjacent to a flammable structure
  - B. Initial Action Taken: NON #3811 issued 02/10/2020
  - C. Subsequent Action: NCP #2020-3811 (\$650) issued 02/14/2020; no response, Default Order Judgment (DOJ) for a lien on the property in process
  - D. Resolution: PENDING
  
11. LITTEN, ED (VENETA)
  - A. Violation: Failure to promptly extinguish illegal outdoor burning; outdoor burning when prohibited; outdoor burning such as to cause a public nuisance; outdoor burning of prohibited materials; outdoor burning of construction/demolition debris without first obtaining a letter permit from LRAPA
  - B. Initial Action Taken: NON #3813 issued 02/20/2020
  - C. Subsequent Action: NCP #2020-3813 (\$2,025) issued 03/17/2020: request for hearing - TBA; Settlement proposal offer 5/29/2020 for \$875, response due 06/22/2020
  - D. Resolution: PENDING
  
12. CROSMAN, ZACKERY RYAN (EUGENE)
  - A. Violation: Outdoor burning such as to create a nuisance outdoor burning of prohibited materials
  - B. Initial Action Taken: NON #3815 issued 05/08/2020
  - C. Subsequent Action: NCP #2020-3815 (\$700) issued 05/27/2020
  - D. Resolution: PENDING

13. JONES, ANTHONY R. (VENETA)

- A. Violation: Failure to promptly extinguish illegal outdoor burning; outdoor burning when prohibited; outdoor burning such as to create a nuisance; outdoor burning of prohibited materials (grass clippings); failure to conduct outdoor burning in an efficient manner
- B. Initial Action Taken: NON #3818 issued 05/15/2020
- C. Subsequent Action: NCP #2020-3818 (\$700) issued 05/27/2020 and served 06/26/2020
- D. Resolution: PENDING

14. STANDFORD-CLARK, DIANE (COTTAGE GROVE)

- A. Violation: outdoor burning of prohibited materials; outdoor burning of construction/demolition waste without first obtaining a letter permit from LRAPA.
- B. Initial Action Taken: NON #3819 issued 05/15/2020
- C. Subsequent Action: NCP #2020-3819 (\$1,000) issued 05/27/2020; request for reduction under review
- D. Resolution: PENDING